



# Guppy PRO

## F-503



- Compact 5 MP camera
- ON Semiconductor (Aptina) CMOS sensor
- Excellent price/performance
- 13 fps

Industrial CMOS camera, 5 Megapixels

The Guppy PRO F-503B/F-503C is an industrial CMOS camera with 5 Megapixel resolution. It is equipped with an ON Semiconductor (Aptina) sensor and runs 13 frames per second at full resolution.


Options:

- Various IR cut/pass filters
- White medical housing

## Specifications

Guppy PRO	F-503
インターフェイス	IEEE 1394b - 800 Mb/s, 1 port
解像度	2588 (H) × 1940 (V)
センサー	ON Semi MT9P031
Sensor type	CMOS
センサーサイズ	Type 1/2.5
ピクセルサイズ	2.2 $\mu\text{m}$ × 2.2 $\mu\text{m}$
レンズマウント (標準搭載)	C-Mount
フレームレート (フル解像度)	13 fps
ADC	12 bit
Image buffer (RAM)	
	Output
Bit depth	8-12 Bit
ビデオフォーマット(Mono)	8/12/16
ビデオフォーマット(Raw)	8/12/16
	General purpose inputs/outputs (GPIOs)
Opto-isolated I/Os	1/3

Guppy PRO	F-503
Operating conditions/dimensions	
Operating temperature	+5 °C to +45 °C
Power requirements (DC)	8 V to 36 V
消費電力	<3.5 W (@ 12 VDC)
Mass	80 g
Body dimensions (L × W × H in mm)	44.8 × 29 × 29 (including connectors)
Regulations	CE: 2014/30/EU (EMC), 2011/65/EU, including amendment 2015/863/EU (RoHS); FCC Class B



## Features


- Look-up table (LUT)
- Gamma correction
- Color correction
- Defect pixel correction
- Area of interest (AOI), separate AOI for auto features
- Binning (monochrome and color)
- Low-noise binning
- Sub-sampling
- Image mirror H+V (color version only horizontal)
- Auto gain (manual gain control: 0 to 18.06 dB)
- Auto exposure (20 μs to 22.3 s)
- Trigger with edge mode and programmable delay

- Storable user sets

## Scope of delivery

- Camera and IEEE 1394b cable (other configurations on request)

## Technical drawing





## Applications

Thanks to the CMOS sensor and 5 Megapixel resolution, the Guppy PRO F-503B/F-503C is an industrial CMOS camera with a high performance and a very attractive price.

Applications:

- Industrial inspection with high resolution
- Robotics
- Logistics
- Pharmaceutical industry
- Multimedia
- ITS/Traffic monitoring